

### **CUSTOMER DRAWING**



# **SEALING SLEEVE**



# METAL CRIMP SPLICE

Product Rev		I.D.*	Product Dimensions					
Product		a (min)	A	В	С	D	E	
Name		b (max)					max	
D-436-36	Α	2.16 (0.085)	1.27 (0.050)	2.03 (0.080)	12.95 (0.510)	6.22 (0.245)	0.38	
		0.64 (0.025)	1.14 (0.045)	1.91 (0.075)	12.45 (0.490)	5.72 (0.225)	(0.015)	
D-436-37	Α	2.79 (0.110)	1.75 (0.069)	2.69 (0.106)	14.86 (0.585)	7.11 (0.280)	0.51	
		0.64 (0.025)	1.63 (0.064)	2.57 (0.101)	14.35 (0.565)	6.60 (0.260)	(0.020)	
D-436-38	Α	4.32 (0.170)	2.59 (0.102)	3.89 (0.153)	14.86 (0.585)	7.11 (0.280)	1.27	
		0.64 (0.025)	2.46 (0.097)	3.73 (0.147)	14.35 (0.565)	6.60 (0.260)	(0.050)	

<sup>\*</sup> I.D.: a) As received; b) After unrestricted recovery thru meltable insert.

## © 2013 TYCO ELECTRONICS CORPORATION, ALL RIGHTS RESERVED.

=7	Έ	TE	Connectivity	<b>Raychem</b> Devices	IN-LINE SPLICE 1 TO 1 SA		
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS. INCHES DIMENSIONS ARE BETWEEN BRACKETS.				DOCUMENT NO.: <b>D-436-36/-37/-38</b>			
TOLERANCES: 0.00 N/A 0.0 N/A 0 N/A	ANGLES: N/A ROUGHNESS IN MICRON		TE Connectivity reserves drawing at any time. Use suitability of the product	ers should evaluate the	DATE: 02-21-2013	REVISION: C	
DRAWN BY: ECO NUMB: T.NGUYEN		BER: ECO-13-003156		SCALE: N/A	SIZE:	SHEET: 1 of 2	

#### **CUSTOMER DRAWING**

#### **MATERIALS**

1. INSULATION SLEEVE: Heat-shrinkable, transparent blue, radiation cross-linked modified polyvinylidene fluoride.

2. SEALING RINGS: Immersion resistant thermoplastic. Color: one clear, one color coded (see table below).

3. CRIMP SPLICER:

Base Metal: Copper alloy 101 or 102 per ASTM B-75.

Plating: Tin, per ASTM B545 Color code: See table below.

Product	MIL Spec	Wire Range	Color	Wgt Lbs/Mpc
Name	Equivalent	(AWG)	Code	max
D-436-36	M81824/-1-1	26 - 20	RED	1.02
D-436-37	M81824/-1-2	20 - 16	BLUE	1.61
D-436-38	M81824/-1-3	16 - 12	YELLOW	2.720

#### APPLICATION

- 1. These parts are designed to provide immersion resistant in-line splices of 1 to 1 wires falling within size range listed above, and having insulations rated for 135°C.
- 2. Parts will meet all requirements of SAE AS81824/1 when installed as outlined below. Assembly is not required for acceptance testing inspection.
- 3. Acceptance sampling shall be in accordance with Paragraph 4.6.1 of SAE AS81824.
- 4. Packing and packaging shall be in accordance with Sections 5, Level C, of SAE AS81824.
- 5. This document takes precedence over documents reference herein.

#### **ASSEMBLY PROCEDURE:**

- 1. Slide sealing sleeve onto one of the wires to be spliced.
- 2. Strip wires 5/16" to 11/32".
- 3. Insert one wire into barrel of crimp splicer and crimp using a Raychem AD-1377 crimp tool. Repeat for other wire.
- 4. Center sealing sleeve over the splice.
- 5. Apply heat, using an approved heat source, first to one of the inserts and then the other. Heat should be applied until insert melts and flows axially along the wire.

### © 2013 TYCO ELECTRONICS CORPORATION, ALL RIGHTS RESERVED.

=7	ΓE	TE	Connectivity	<b>Raychem</b> Devices	IN-LINE SPLICE 1 TO 1 SA		,
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS. INCHES DIMENSIONS ARE BETWEEN BRACKETS.				DOCUMENT NO.: <b>D-436-36/-37/-38</b>			
TOLERANCES: 0.00 N/A 0.0 N/A 0 N/A	ROUG	drawing at any		the right to amend this ers should evaluate the for their application.	DATE: 02-21-2013	revision: C	
DRAWN BY: ECO NUMB T.NGUYEN		BER: ECO-13-003156		SCALE: N/A	SIZE:	SHEET: 2 of 2	